

Dual Mount Indoor Fans

BUILDER CLASSIC FAN SPECIFICATIONS:

Motor -153MM X 14MM • 3 speed • Reversible • 12-degree blade pitch • Pre-installed motor pads • Upgrade motor arms with no visible screw holes • 54" lead wire • Dual mount • Triple capacitor • Limited lifetime warranty




FAN & BLADE FINISHES:

- 15314-20AB Medium Oak/Distressed Pine
- 15314-20EB Medium Oak/Flat Black
- 15314-20FB Flat Black
- 15314-20HW Heirloom White
- 15314-20PB Medium Oak/Distressed Pine
- 15314-20PE Medium Oak/White
- 15314-20RU Rust/Distressed Pine
- 15314-20WH White

All 15314 fans include a FK99 fan kit with 3 G10500 white marble globes in one carton. Most lip fitter glass can be used with 15314. Uses 3 60W(C) bulbs per EPA standards.

POPULAR GLASS SELECTIONS



FAN & BLADE FINISHES:

- 15315-50EB Medium Oak/Flat Black
- 15315-50PE Pickled Oak/White
- 15315-50RU Rust/Distressed Pine

All 15315 fans include a fan kit with one G10511 white marble globe in one carton. Glass is 13.5" in diameter. Uses 3 60W(C) bulbs per EPA standards.

POPULAR GLASS SELECTIONS



Fans & Accessories

MEADOR BROTHERS

Galaxy Supreme Indoor Fans

GALAXY SUPREME FAN SPECIFICATIONS:

Motor -153MM X 18MM • 3 speed • Reversible • 14-degree blade pitch • Pre-installed motor pads • Upgrade motor arms with no visible screw holes • 54" lead wire • Triple capacitor • Limited lifetime warranty • NOT dual mount



15318EB

FAN & BLADE FINISHES:

15318AB	Medium Oak/Dark Oak
15318EB	Mahogany/Flat Black
15318HW	Heirloom White/Pickled Oak
15318PB	Medium Oak/Light Oak
15318PE	Medium Oak/White
15318RU	Rust/Mahogany

15318 fans do NOT include fan kit or glass. See accessories for options.

Patio/Outdoor Fans

BUILDER CLASSIC FAN SPECIFICATIONS:

Motor -153MM X 16MM • 3 speed • Reversible • 12-degree blade pitch • Pre-installed motor pads • Upgrade motor arms with no visible screw holes • 54" lead wire • Triple capacitor • 10 year limited lifetime warranty



15316RU

FAN & BLADE FINISHES:

15316EB	Black
15316RU	Simulated Dark Oak

Mount blades with grain side showing. Smooth side always faces the ceiling.



15316 fans do NOT include a light kit. FK10709 is 1-Light 4" fitter, damp location fan kit. Available in EB & RU.

POPULAR GLASS SELECTIONS



27

(White) (Damp Location)



28

(White) (Damp Location)

To Order Complete Light Kit, Use:
 FK10709EB-27
 FK10709EB-28
 FK10709RU-27
 FK10709RU-28

Indoor Fan Light Kits

Available in: AB, EB, HW, PB, PE, RU & WH.



B774PE

3 60W(M) (White Marble)
Uses lip fitter glass.



B775RU

4 60W(M) (White Marble)
Uses lip fitter glass.



B773EB

4 60W(M) (White Marble)
Uses lip fitter glass.

POPULAR GLASS SELECTIONS



(-20) G10500
(White Marble)



(-38) G10667
(Alabaster)



(-45) G10808
(WV Amber)



FK10412PE

7.5"H X 13.5"W 2 75W(M)
(White Marble)



FK10769RU

7.5"H X 13.5"W 2 75W(M)
(Alabaster)



FK10825EB

7.5"H X 13.5"W 2 75W(M)
(Warm Vanilla Amber)



LK127RU

6"H X 9"W 1 60W(M)
(White)



LK128RU

9"H X 8"W 1 60W(M)
(White)



FK11016-59EB

4 60W(M) (White Marble)
Uses neckless glass.

POPULAR GLASS SELECTIONS



(-57) G10895
(Amber Mist)



(-58) G10896
(WV Amber)



(-114) G11025
(Hex w/Amber Lip)



(-116) G11026
(Hex White Marble)

Indoor Fan Kits & Down Rods

Available in: AB, EB, HW, PB, PE, RU & WH.



444RU
1 60W(M) 4" FT
Uses 4" lip fitter glass only.



FK99PE
3 60W(M)
Uses lip fitter glass.



FK10535RU
4 60W(M)
Uses lip fitter glass.



FK4EB
4 60W(M)
Uses lip fitter glass.

POPULAR GLASS SELECTIONS



(-20) G10500
(White Marble)



(-38) G10667
(Alabaster)



(-45) G10808
(WV Amber)



FK10843SS
4 60W(M)
Uses neckless glass.

POPULAR GLASS SELECTIONS



(-57) G10895
(Amber Mist)



(-58) G10896
(WV Amber)



(-114) G11025
(Hex w/Amber Lip)



(-116) G11026
(Hex White Marble)



112EB
12" Hole & Hole



212PE
12" Thread & Hole

DOWNROD PART NUMBERS:

(All downrods are 1/2" diameter.)

Length	Hole & Hole	Thread & Hole
12"	112	212
18"	118	218
24"	124	224
36"	136	236
48"	148	--
60"	160	--
70"	172	--

